



SHENZHEN UNITE-FORTUNE DEVELOPMENT CO., LTD.

ADD: 30th Floor, Tower A, World Finance Center, No. 4003 Shennan East Road, Luohu District, Shenzhen, China

TEL: +86 755 82299027 FAX: +86 755 82196346 E-MAIL: www.gd-battery.com

E-bike Battery Price List

2014.7

GD Model	Photo	Specifications		Price (FOB SZ USD/PC)	Compatible Models
GD-PAN-E25.2A		Model No	GD-PAN-E25.2A		For Panasonic 26V
		Cell Brand	Samsung		Compatible with the ebikes with Panasonic 26V system battery pack. And Flyer C-serie,T-serie,L-serie,S-serie X-serie ,i:SY 26V system and the brand with same motor :Raleigh ,Kalkhoff, flyer, Kettler& Rixe
		Cell Code	ICR18650-22PM / ICR18650-26F		
		Chemistry	Li-ion		
		Voltage	25.2V		
		Rate 1	332.64 Wh	\$146.30	
		Capacity 1	13.2 Ah	\$157.60	
		Rate 2	393.12 Wh		
		Capacity 2	15.6Ah		
		Weight	3.5KG		
		Size	273.22 x 153.26 x 106.40 mm		
		Storage Temp.	-20~40 °C		
		Configuration	7S6P		
		Charge Voltage Limit	29.4 V		
		Continuous Discharge Current	20 A		
		Operate Temp. Charge	0~45 °C		
		Operate Temp. Discharge	-20~60 °C		
		Cycle Life	500 Times		
		PCB Safety Function	Cell balancing		
			Over-current protection		
			Over-discharge		
			Over-charge		
			Temperature protection		
			Secondary protection		

GD-PAN-E25.2B		Model No	GD-PAN-E25.2B		For Panasonic 26V
		Cell Brand	Samsung		Compatible with the ebikes with Panasonic 36V system battery pack. Like Raleigh Dover Impulse R classic club, R club, XXL8R, XXL8, ERGO XXL, Harmony, 360, 8R HS, 8 HS, 8R ,8. Kalkhoff Impulse, 36v Impulse Pedelec etc.
		Cell Code	ICR18650-22PM / ICR18650-26F		
		Chemistry	Li-ion		
		Voltage	25.2V		
		Rate 1	443.52 Wh	\$182.60	
		Capacity 1	17.6 Ah		
		Rate 2	524.16 Wh	\$197.60	
		Capacity 2	20.8 Ah		
		Weight	4.1KG		
		Size	273.22 x 153.26 x 106.40 mm		
		Storage Temp.	-20~40 °C		
		Configuration	7S8P		
		Charge Voltage Limit	29.4 V		
		Continuous Discharge Current	20 A		
		Operate Temp. Charge	0~45 °C		
		Operate Temp. Discharge	-20~60 °C		
		Cycle Life	500 Times		
		PCB Safety Function	Cell balancing		
			Over-current protection		
			Over-discharge		
			Over-charge		
			Temperature protection		
			Secondary protection		

GD-PAN-E36B		Model No	GD-PAN-E36B		For Panasonic 36V	
		Cell Brand	Samsung			
		Cell Code	ICR18650-22PM / ICR18650-26F			
		Chemistry	Li-ion			
		Voltage	36V			
		Rate 1	396 Wh			\$159.00
		Capacity 1	11 Ah			
		Rate 2	468 Wh			\$172.40
		Capacity 2	13 Ah			
		Size	283.91x113.89x104.35 mm			
	Storage Temp.	-20~40 °C				
	Configuration	10S5P				
	Charge Voltage Limit	42 V				
	Continuous Discharge Current	5 A				
	Max. discharge current	11A				
	Operate Temp. Charge	0~40 °C				
	Operate Temp. Discharge	- 20~40 °C				
	Cycle Life	500 Times				
	PCB Safety Function	Cell balancing				
		Over-current protection				
		Over-discharge				
		Over-charge				
		Temperature protection				
		Secondary protection				

GD-BOS-E36A		Model No	GD-BOS-E36A	For Bosch 36V Compatible with the ebikes with Bosch 36V power pack 300/400 battery pack, the following brand which use the same Bosch motor :Bergamont, Cannondale, Centurion, Conway, Corratec, Cube, Diamant, Felt ,Focus, Ghost, Giant, Haibike, Kalkhoff, Kettler, KTM, Kreidler, Merida, Raleigh ,Rotwild, Scott, Trel, Victoria, Univega, VSF etc.
		Cell Brand	Samsung	
		Cell Code	ICR18650-22PM / ICR18650-26F	
		Chemistry	Li-ion	
		Voltage	36V	
		Rate 1	316.8 Wh	
		Capacity 1	8.8 Ah	
		Rate 2	374.4 Wh	
		Capacity 2	10.4Ah	
		Weight	2.462KG	
		Size	295.72x 107.9 x 86.40 mm	
		Storage Temp.	-20~40 °C	
		Configuration	10S4P	
		Charge Voltage Limit	42 V	
		Continuous Discharge Current	8 A	
		Max. discharge current	16A	
		Operate Temp. Charge	0~45 °C	
		Operate Temp. Discharge	-20~60 °C	
		Cycle Life	500 Times	
		PCB Safety Function	Cell balancing	
			Over-current protection	
			Over-discharge	
			Over-charge	
			Temperature protection	
			Secondary protection	

GD-BOS-E36B	 	Model No	GD-BOS-E36B		For Bosch 36V Compatible with the ebikes with Bosch 36V Rack battery power pack 300/400 . the following brand which use the same Bosch motor :Bergamont, Cannondale, Centurion, Conway, Corratec, Cube, Diamant, Felt ,Focus, Ghost, Giant, Haibike, Kalkhoff, Kettler, KTM, Kreidler, Merida, Raleigh ,Rotwild, Scott, Trel, Victoria, Univega, VSF etc.
		Cell Brand	Samsung		
		Cell Code	ICR18650-22PM / ICR18650-26F		
		Chemistry	Li-ion		
		Voltage	36V		
		Rate 1	316.8 Wh	\$140.60	
		Capacity 1	8.8 Ah		
		Rate 2	374.4 Wh	\$151.60	
		Capacity 2	10.4Ah		
		Weight	2.550KG		
		Size	295.72x 107.9 x 86.40 mm		
		Storage Temp.	-20~40 °C		
		Configuration	10S4P		
		Charge Voltage Limit	42 V		
		Continuous Discharge Current	8 A		
		Max. discharge current	16A		
		Operate Temp. Charge	0~45 °C		
		Operate Temp. Discharge	-20~60 °C		
		Cycle Life	500 Times		
		PCB Safety Function	Cell balancing		
			Over-current protection		
			Over-discharge		
			Over-charge		
			Temperature protection		
			Secondary protection		