




NEW



motor type	L1(mm)	L2(mm)	L3(mm)	φ 1(mm)	φ 2(mm)	spec of (mm) screw thread	weight(kg)	remark
SWXB	218	146	46	φ 143.5	φ 130	M12	3.1	single-freewheel
SWXB3	227	162	46	φ 143.5	φ 130	M12	3.4	six-speed freewheel
QSWXB	158	100	46	φ 143.5	φ 130	M12	3.1	
SWXH	192	136	47.5	φ 134	φ 120	M12	2.9	six-speed freewheel with disc brake
QSWXK	138	100	50	φ 134	φ 121	M10	2.8	with disc brake


Remark:for more products,please browse our website

36V



SZBAF MOTOR

Product structure and Layout



- Brushless motor with outside rotor, smaller size, high power
- Exact star gear, High efficiency torque, More than 98% driving efficiency, Smooth driving, Less than 50db noise
- More than 80% motor efficiency, Improved continuous running distance for battery, Extending the life of battery
- Outgoing clutch makes driver to easy and light and makes e-bike to smaller resistance of gliding and save consume of battery
- DC star gear-down motor has self-lubricating function and free of maintenance.
- Good waterproof and rust-inhibiting. Coming up to certificated standard.



High quality accessories

- The star gears are made of materials with high rigidity and wearing resistance, and its test life is more than 3000 hours
- Outdoing clutch makes the structure to simple, they are made from special bearing steel and technics. The time of clutch on-off is more than 600 thousand circles.
- All of accessories are made of high quality materials, H level insulation, it is to ensure the motor's service life
- Pull strength of hub is more than 350Kg



SZBAF MOTOR

